



Storm[®] Wax Block 4g

RODENTICIDE BLOCK BAIT

FOR INSTITUTIONAL USE

Composition:	
Flocoumafen	0.05 g/Kg
Bitrex	0.01 g/Kg
Carriers	to 1 Kg

REGISTERED WITH THE FERTILIZER AND PESTICIDE AUTHORITY
PURSUANT TO P.D. 1144
FPA Registration Number: 005-295-0786

- ✓ The fast way to eliminate rodent infestations
- ✓ Delivers a lethal dose in a single feed
- ✓ Saves time and money in application
- ✓ Effective even against resistant strains



KEEP OUT OF REACH OF CHILDREN



Net Content:
1KG

RECAUTIONS: When handling or applying baits, do not eat, drink nor smoke. Wearing of closed work clothing is recommended and rubber gloves when handling the product. Keep away from food and drinks. Store bait in its original container, tightly closed, in a safe place under lock and key. Keep away from children and domestic animals. Do not use where foodstuffs and water could be contaminated. Wash hands after handling and applying baits.

BABALA: Huwag kumain, uminom o manigarilyo habang gumagamit nito. Magsuot ng coverall at guwantes. Ilayo sa pagkain at inumin. Itago sa orihinal na lalagyan sa lugar na hindi abot ng mga bata at hayop. Huwag gamitin sa lugar na maaaring mahawaan ang pagkain at tubig. Maghugas ng kamay matapos gumamit nito.

SIGNS AND SYMPTOMS OF POISONING: Symptoms of poisoning include increased tendency to bleed, bruising, or gum bleeds. In severe cases, massive bleeding from internal organs may occur.

FIRST AID:

If **inhaled**, obtain medical attention immediately. If not readily available, induce vomiting by putting a finger down the throat.

If **on skin**, remove contaminated clothing. Wash skin with water, using soap if available.

If **on Eyes**, flush affected eye with water.

NOTE TO PHYSICIAN: Vitamin K1 is the antidote. In cases of suspected poisoning, determine the prothrombin time not less than 18 hours after ingestion. If elevation has occurred, administer Vitamin K1 intravenously in divided doses, 40 mg for adults, 20 mg for children, daily.

DIRECTIONS FOR USE: Bait Placement and Inspection: In applications for rat control, select bait points, such as active rat holes, along run or walkways, around the perimeter of the field, and under rubbish areas. Establish a line of bait points between the rats living and feeding areas. Bait points may be as close as 5 meters apart in areas of heavy infestation. Mice usually range over very limited areas and do not need to drink. They are more difficult to control than rats because their feeding patterns are more random. For control of mice, place baits in areas where activity is obvious, particularly where droppings are seen. Once Storm[®] Wax Block is applied, the bait points should be examined within 7 days, and any baits which have been eaten must be replaced. Baits which have not been eaten must be repositioned. Inspection of all bait points and rat holes should be repeated at 7-day intervals, placing fresh block on each occasion only when blocks have been eaten.

APPLICATION RATE: To control rats and mice in sugarcane, cocoa, oil palm, banana, and pineapples, about 100 to 125 block baits (400 to 600 grams) per hectare are needed on each baiting round. Depending on the level of infestation, Storm[®] Wax Block application may require 2 to 4 baiting rounds during the growing season. For **sugarcane, pineapple and banana**, place on block at interval of 5-10 meters and one block in each rat hole. For **oil palm**, place one block bait at the base of every palm tree and replace eaten blocks every 7 to 10 days for 3 or 4 baiting rounds. For **cocoa**, place 5 block baits around the base of each tree and replenishing blocks at weekly intervals usually for 2 to 3 baiting rounds.

STORAGE AND DISPOSAL: Store in original container, tightly closed, away from foodstuffs and animal feeds and out of reach of children. Dispose unwanted baits and dead rodents by burying. Do not re-use empty containers.

NOTICE TO BUYER: No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risks and liabilities resulting from handling, use or application.

PROHIBITION/WARRANTY: It is a violation of FDA rules and regulations to use this product in a manner inconsistent with its label. No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risks and liabilities resulting from handling, use or application.

IN CASE OF EMERGENCY, PLEASE CONTACT:

BASF Emergency Contact Details
National Emergency No.: +632 8831 5576
International Emergency No.: +49 180 2273-112

National Poison Management and Control Center
PGH, Manila
Tel: (02) 8554 8400 loc. 3976,
(02) 8524 1078
Globe: +63 966 718 9904

Storm[®] is a Registered Trademark of BASF

BASF Philippines Inc.

CTP Asean Tower, Blk 3 Lot 2 Asean Drive Spectrum District, Filinvest City, Alabang, Muntinlupa City 178, Metro Manila, Philippines

Lot/Batch No.:
Formulation Date:
Expiry Date:

