

HAZARD STATEMENTS: Harmful if swallowed. May cause an allergic skin reaction. May cause damage to organs (central nervous system) through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

PRECAUTIONS: Read label before use and follow all instructions. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Do not eat, drink, or smoke when using this product. Do not breathe mist. Wear protective equipment including chemical resistant gloves, face shield, respirator/mask, eye protection, apron, long-sleeved shirts, and pants when mixing and spraying. Do not apply directly to water or to areas where surface water is present. Do not use near aquaculture areas, rivers, ponds, and other water bodies. Remove and wash thoroughly all protective equipment and working clothes before re-use. Wash exposed skin thoroughly with soap and water after handling and application.

KAUKULANG PAG-INGAT: Basahin ang pabalat bago gamitin. Huwag kumain, uminom o manigarilyo kapag ginagamit ang produkto. Iwasang malanghap ang mist. Magsuot ng tamang pananamit tulad nang guwantes, proteksyon sa mata, tapis, damit na may mahabang manggas at pantalon kapag naghahalo at nagbobomba. Huwag direktang gamitin sa tubig o sa lugar na mayroong tubig. Huwag gamitin malapit sa mga ilog, sapa at iba pang anyong tubig. Alisin at hugasang mabuti ang lahat ng ginamit na pamproteksyon sa kemikal bago gamitin muli. Hugasan ang mga parte ng katawan na nalagyan ng kemikal gamit ang tubig at sabon.

SIGNS AND SYMPTOMS OF POISONING: Further symptoms and / or effects are not known.

FIRST-AID TREATMENT:

Remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air, seek medical attention. **If on skin:** Rinse skin immediately with plenty of water for 15 - 20 minutes. **If in eyes:** Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. **On ingestion:** Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. **If swallowed:** Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

NOTE TO PHYSICIAN: Treatment according to symptoms (decontamination, vital functions), no known specific antidote.

Accidental Release Measures:

Personal precautions: Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing. **Environmental precautions:** Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. **Methods for cleaning up or taking up:** For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). **For large amounts:** Dike spillage. Pump off product. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.



BASF

We create chemistry

Termidor® 50 SC

Termiticide

For Professional Use Only

Active ingredient:

Fipronil.....4.94 % w/w

Inert Ingredients.....33.15 % w/w

Water (as Solvent).....up to 1 L (ad 100%)

Registration No.: HSR - 8194

Net Content
1 Liter

KEEP OUT OF REACH OF CHILDREN

Termidor® 50 SC is a pyrazole contact/stomach non-repellant insecticide with good residual activity, which provides protection of structures from subterranean termite damage and for the control of subterranean termites around domestic and commercial infrastructure.

DIRECTIONS FOR USE:

USE	VOLUME OF PRODUCT PER SQ METER	VOLUME OF SOLUTION PER SQUARE METER
For Pre-construction and Post construction termite treatment application for soil barrier and reticulation procedures.	12.5 ml Termidor 50 SC per 1 liter of water (rates may be doubled depending on the type of soil)	5 liters solution

Pre-construction – the treated soil will be covered with plastic and concrete will be poured on the surface in 20 minutes. Area will always be barricaded and not to be accessible to children. **Post construction** – termiticide will be injected under the concrete slab reaching the soil under ground using injection equipment. Any spillage will be cleaned up and area will be barricaded. Re-entry is allowed when surface is dry.

STORAGE AND DISPOSAL: Store in a closed, cool, well-ventilated area and locked away. Segregate from foods and animal feeds. Keep away from heat. Protect from direct sunlight. DO NOT re-use this container for any purpose. Do not discharge into the subsoil/soil and drains/surface waters/groundwater. Dispose of in accordance with national and local regulations and requirements. Do not contaminate water, food, or feed by storage or dispose of contents and container to hazardous or special waste collection facility or follow pesticide disposal program (often such programs are run by state or local governments or by industry). Store unused product in original container only, out of reach of children and animals. To avoid waste, use all material in this container by application according to label directions. If waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

PROHIBITION AND WARRANTY: It is a violation of rules and regulations to use this product in a manner inconsistent with its label. No warranty of any kind, expressed or implied is made concerning the use of this product. The consumer assumes all risks and liabilities resulting from the handling, use or application of the product.

IN CASE OF EMERGENCY, PLEASE CONTACT:

BASF Emergency Contact Details:

National Emergency No.:

+632 8831 5576

International Emergency No.:

+49 180 2273-112

National Poison Management and Control Center

Center

PGH, Manila

Tel: (02) 8554 8400 loc. 3976,

(02) 8524 1078

Globe: +63 966 718 9904

Termidor® is a registered brand of BASF

Manufactured by:

PT Sanova

Jl. Science timur 1, Blok ASD, Sertajaya, Cikarang Timur Bekasi 17520, Indonesia

Registered by:

BASF Philippines, Inc.

Unit 03-04 Upper Penthouse CTP Asean Tower FCC, Alabang, Muntinlupa, Metro Manila

Lot / Batch No.:
Manufacturing Date:
Expiry Date:



WARNING

